



**Supporting Mental Health in  
First Responders**

# **A Guide for Families**

**[BCFirstRespondersMentalHealth.com](http://BCFirstRespondersMentalHealth.com)**

# Table of Contents

- Introduction ..... 3
  - Mental health in first responders..... 3
  - Role of the family ..... 4
- Understanding mental health ..... 6
  - The nature of the job ..... 6
  - How the brain constructs an emotional barrier..... 6
- Recognizing signs and symptoms ..... 7
  - Mental Health Continuum Model ..... 8
- Having a conversation ..... 9
  - The right to privacy ..... 10
- Taking care of yourself ..... 10
  - Who is taking care of you?..... 11
- Available resources ..... 14
- Further reading ..... 17

# Introduction

While first responders are on the front lines responding to emergencies and other traumatic events, their loved ones play important supporting roles. Whether you are a family member, friend, or any other loved one, the stresses a first responder brings home affects you as well.

Family members are a primary source of support for first responders. They are often the first to notice changes in mood and behaviour, can encourage their loved ones to get help, can help them access resources, and are there for them long after an incident has happened.

It's important for families to understand what mental health is, how to identify the early signs and symptoms of those who are struggling with their mental health, and how to access resources to support their loved ones.

## Mental health in first responders

In the past few years, there has been increased discussion around first responders and the mental health issues they face. There have been a number of media stories profiling first responders who say their mental health issues stem from the trauma and stress they experience on the job.

As well, since 2018, a first responder may be eligible for benefits through "presumptive" legislation under the *Workers Compensation Act*. When workers in eligible occupations, who have been exposed to a traumatic event or events, are diagnosed with a recognized mental disorder as a reaction to that trauma, WorkSafeBC recognizes the mental disorder is presumed to be caused by employment<sup>1</sup>.

First responders are repeatedly exposed to distressing situations, violence, trauma, and death. They also encounter daily workplace stressors such as heavy workloads, rotating shifts, and, occasionally, discrimination and bullying. Additionally, situations that previously were regarded as exceptional public health "emergencies" seem now to be everyday and enduring, such as the pandemic, the opioid crisis, and a series of natural disasters (floods, wild fires and heat domes). These factors can have an immediate detrimental impact on some individuals; for others, the negative effects build up over weeks, months, or even years.

Many first responders will experience symptoms of a mental health condition either temporarily or on a recurring or ongoing basis. These conditions include anxiety, depression, substance misuse, and post-traumatic stress disorder (PTSD).

---

<sup>1</sup> The WorkSafeBC guide, [Practice Q&A: Mental Disorder Claims - Eligible Occupations under the Presumption](#), is available for download at [worksafebc.com](https://www.worksafebc.com) (Forms & Resources)

While awareness about mental health issues in the workplace has increased over the years, there is still a lot of stigma associated with mental health challenges. Research commissioned by the BC First Responders Mental Health Committee found that many first responders are cautious in talking to the leadership in their organization about any mental health issues they have in their workplaces. This stigma can also make first responders reluctant to discuss these issues at home with friends and family, even though the stresses they face on the job can affect their loved ones.

Those who have mental health conditions or experience symptoms can have positive outcomes if they have the right support from family, friends, and their workplace. Families, especially, can help in tackling barriers and improving the mental health of their loved ones.

## Role of the family

Supporting the first responder in your family isn't easy. They work long shifts and odd hours, often bring the stress of their work back home, and are more likely to experience mental health issues.

You probably see the first responder in your family on a daily basis. This means you have a key role to play in supporting the mental health of your loved one. This support includes:

- Recognizing the signs and symptoms of loved ones who may be struggling with their mental health
- Having conversations with loved ones about these struggles
- Help your partner engage in practices that will keep them healthy
- Understanding what resources are available to you and your family
- Taking care and seeking help for yourself (and your children)

Communication can be challenging for first responders' families at the best of times. First responders often come home from work and "don't want to talk about it." This may be because of burnout and exhaustion, compartmentalization, confidentiality concerns, or not wanting to traumatize their family members. Unfortunately, this lack of communication can contribute to first responders' disconnection and isolation from their primary support people. While there is no exact formula for healthy communication, families should talk about and set their boundaries and expectations together — ideally, earlier rather than later.

This package includes information on the following topics to help people support the first responders in their families:

### **Understanding mental health**

First responders regularly encounter stressful situations, which can affect the brain over time. This section describes those effects and how they help with understanding the mental health challenges of first responders.

## **Recognizing signs and symptoms**

Family members are in a good position to recognize the signs and symptoms of loved ones who may be struggling with their mental health, often recognizing any deterioration before the loved one does. If family recognizes that this may be occurring, they are able to take action.

This section describes how to recognize the signs and symptoms of those struggling with mental health issues.

## **Having a conversation**

It's important for family to take action if they think a loved one needs mental health support, whether it's because they recognize signs and symptoms or because the loved one seeks help from them directly. Family need to respond with empathy and understanding. This section provides information on how to have the conversations that will let you know if you need to take further action.

## **Taking care of yourself**

It isn't just first responders who feel the stress of the job — family feels that stress too. Family members need to take care of themselves if they are going to be able to support their loved one.

And if you are the parent of young children, you will also want to do your best to fully support your children to cope with having a first responder as a parent. Having age-appropriate conversations with your children is a great place to start.

## **Available resources**

Family members should also know where to refer a loved one to for resources and support. First responders usually have a range of resources available to support their mental health, including counselling. There are also several community supports available to the public that are useful.

This section includes a template to fill out listing the employer's mental health resources available to you. As well, there is list of some important community and first responder resources, both for crisis support and prevention activities.

## **Further reading**

Often, reading about the similar challenges others have faced and how they coped with them can help provide a path forward. This section includes a list of reading material.

# Understanding mental health

\*Content adapted with permission from "Staying Emotionally Healthy in the Fire Service: What You and Your Family Should Know," prepared by Matthew Johnston, September 2015.

## The nature of the job

First responders regularly encounter stressful situations. Most people will never have to experience the things first responders see, hear, or do as part of their job. To perform their required duties, their minds are forced to adapt, and it will gradually alter the way they interpret a traumatic event. Just like a callus forming on a hand due to repeated pressure, their minds thicken and harden in response to repeated exposure to stress.

This is what enables them to "get the job done." Through training and experience, the analytical part of the mind learns to suppress natural emotional responses while at work. The brain changes the way it organizes information so that what was once considered traumatic becomes a normal part of daily reality.

First responders work under a command structure where personal decision making is restricted by industry protocols and guidelines. Training within this structure creates dependable, logic-based behaviour that trumps personal thoughts and actions in the face of extreme circumstances. In other words, first responders are trained to respond instinctively with calm and rational behaviour during stressful events.

## How the brain constructs an emotional barrier

The brain's limbic system largely governs emotions, behaviours, and long-term memory. First responders are trained to remain calm during potentially traumatic situations so their emotional and behavioural patterns can follow predictable paths. This training is what makes it possible for them to place personal feelings, beliefs, and reactions on hold when they encounter challenging circumstances.

In reaction to stress and anxiety, our limbic systems are programmed to have us respond in one of three ways: fight, flight, or freeze. These responses have been integral to our survival as a species — but they are simply not options for first responders attending to emergency situations. Instead, when they encounter a traumatic situation as a first responder, their limbic system is suppressed so that they can respond calmly and logically.

Over time, as first responders attend calls of a traumatic nature, they start to develop a strong dissociative barrier between risk and action. This allows them to run into a burning building or provide medical treatment to an injured child in hazardous conditions. In these moments, the needs of the people they're trying to save supersede their own physical and emotional needs. This demonstrates how effectively a well-trained analytical mind can override the natural emotional and behavioural reactions to a dangerous situation.

Sometimes first responders go through a stressful encounter and have no problem bouncing back. Other times, a first responder may need extra support to work through it and return to feeling like themselves.

Encourage your loved one to consider seeking help from a mental health professional if they are experiencing any of the following:

- Difficulty sleeping, including frequent nightmares or night terrors
- Unwanted thoughts or feelings that affect concentration
- Flashbacks
- Chronic fatigue
- Loss of interest in usually enjoyable activities
- Irritability toward others
- Addiction, such as to alcohol, drugs, or gambling
- Self-insulating behaviours, including a lack of interest in social connectedness
- Frequent feelings of hopelessness, shame, or guilt
- Compulsion to work excessively at the expense of important relationships

## Recognizing signs and symptoms

Even though a first responder's mental health is influenced by what is occurring in their brain, it does not mean that mental health is invisible. There are usually signs and symptoms if a first responder is struggling.

The Mental Health Continuum Model illustrates the different mental health phases a first responder may experience throughout their life and career. It also describes the physical and mental effects associated with each phase. The model includes the following phases:

- Healthy: successful and adaptive coping (green)
- Reacting: which is mild and reversible distress (yellow)
- Injured: more severe and persistent functioning impairment (orange)
- Ill: mental distress and disorders requiring concentrated medical care (red)

Being aware of these signs and symptoms can help guide you to when you may need to have a conversation with your loved one.

You can also point your loved one to useful self-assessment tools that can help determine whether they need the intervention of a health care provider. There are several free self-assessment tools out there, with some examples listed in the Available Resources section.

## Mental Health Continuum Model<sup>2</sup>

Healthy	Reacting	Injured	III
<ul style="list-style-type: none"> <li>• Normal fluctuations in mood, calm, takes things in stride</li> <li>• Normal sleep patterns, few sleep difficulties</li> <li>• Sense of humour, in control mentally</li> <li>• Physically active and socially active</li> <li>• Limited or no gambling/alcohol use</li> </ul>	<ul style="list-style-type: none"> <li>• Nervousness, irritability, impatience, sadness, feeling overwhelmed</li> <li>• Trouble sleeping, intrusive thoughts, nightmares</li> <li>• Tired/low energy, muscle tension, headaches</li> <li>• Decreased physical and social activity</li> <li>• Regular but controlled substance use</li> </ul>	<ul style="list-style-type: none"> <li>• Anxiety, anger, pervasive sadness, hopelessness</li> <li>• Restless or disturbed sleep, recurring images or nightmares</li> <li>• Increased aches and pains</li> <li>• Social avoidance or withdrawal</li> <li>• Increasing substance use</li> </ul>	<ul style="list-style-type: none"> <li>• Excessive anxiety, easily angered, depressed mood</li> <li>• Suicidal thoughts and/or self-harm</li> <li>• Unable to sleep; sleeping too much or too little</li> <li>• Isolation, avoiding social events, not answering the phone</li> <li>• Gambling, alcohol, or other addictions</li> </ul>
Actions the <b>first responder</b> can take			
<ul style="list-style-type: none"> <li>• Focus on task at hand</li> <li>• Break problems into manageable chunks</li> <li>• Identify and nurture support systems while maintaining a healthy lifestyle</li> </ul>	<ul style="list-style-type: none"> <li>• Recognize limits and Identify and minimize stressors</li> <li>• Engage in healthy coping strategies</li> <li>• Get adequate food, rest, and exercise</li> </ul>	<ul style="list-style-type: none"> <li>• Identify and understand own signs of distress</li> <li>• Seek social support and talk with someone instead of withdrawing</li> <li>• Seek help</li> </ul>	<ul style="list-style-type: none"> <li>• Seek consultation as needed</li> <li>• Follow health care provider recommendations</li> <li>• Regain physical and mental health</li> </ul>
Actions the <b>family member(s)</b> can take			
<ul style="list-style-type: none"> <li>• Healthy communication about the stressors and challenges; Nurturing and support is shared</li> <li>• Work at keeping the relationship strong and finding joy in your connection</li> <li>• Keep an inventory of what helps with maintaining resilience (routines, time together, time apart, etc.)</li> </ul>	<ul style="list-style-type: none"> <li>• Identify the challenges or changes you see</li> <li>• Lead with empathy – ask to understand what they are experiencing</li> <li>• Ask about the supports available at work and at home; ask what do they need</li> <li>• Explore and connect with your own supports, to manage your own stress</li> </ul>	<ul style="list-style-type: none"> <li>• Identify the changes you have seen in your loved one</li> <li>• Seek support or connect with the mental health professionals already working with your loved one</li> <li>• Seek your own mental health support for your own self-care</li> <li>• If appropriate, ask a trusted friend or family member to help where they can</li> </ul>	<ul style="list-style-type: none"> <li>• If you are concerned about self-harm/suicide, be open and discuss your concerns; seek support from crisis and suicide support services</li> <li>• If there is imminent risk of harm, call 911 or take them to the nearest hospital</li> <li>• Seek professional mental health support</li> </ul>

<sup>2</sup> Various versions of this model exist. Originally adapted from the Mental Health Commission of Canada's The Working Mind.

# Having a conversation

\*Reproduced in part from *What to say and why*, by beyondblue, which creates mentally healthy environments and supports people across Australia.

It's common to feel unsure about how to talk about anxiety or depression, or to worry about saying the wrong thing. Here are some useful phrases people who have experienced anxiety or depression say are most helpful to hear during difficult times. These are statements in a conversation which help someone to feel listened to, understood, and hopeful that things can improve.

**"I'm here for you."**

Anxiety and depression can make people feel very isolated and alone. Hearing someone say explicitly that they'll be there, and will stick by you during recovery, can really help.

**"I can see this is a really hard time for you."**

Validating that the experience of anxiety and depression is difficult is one of the most helpful things you can say. The least helpful statements are those that shut down the conversation ("I know how you feel," or "You'll be alright").

**"Are you considering suicide or self-harm?"**

Don't be afraid to ask this question. If the answer is Yes, then thank them for trusting you. Reassure them of your love and support and offer to help them reach out for immediate crisis resources or connect with their mental health team/supports.

**"I'm not sure what to do, but I'm sure we can figure it out together."**

You don't have to always have the answers — and it's best not to pretend you do. What's important is that you're willing to stick around and help them figure out how to start feeling better.

**"What can I do to help? Just tell me how."**

Ask them to be honest about how you can help them. The support they need will change throughout their recovery so be prepared to be flexible.

**"I know it doesn't feel like it now but things can get better."**

Encourage hope. Remind them that anxiety and depression are treatable, and with the right support, most people recover.

**"Have you thought about seeing your doctor or calling the employee assistance program?"**

Highlight the importance of seeking professional support. Friends and family can offer a great deal of support but professionals have a crucial role in treating anxiety and depression and promoting recovery.

**"Are there resources or people at work I can contact for us?"**

By asking permission to reach out on your family's behalf, you will learn more about supports, such as EAP, CISM or peer-support programs, that may be in place.

**“I have noticed you seem to be doing better lately. Is that how it feels for you?”**

Noticing the positive changes can be hard to spot, particularly if they are small and gradual. But gently pointing out your observations can help them to feel like things might just be improving.

These conversations may be brief or spontaneously evolve into lengthy discussions. Find a private place and set aside as much time as they might need. Lead with curiosity and non-judgement by acknowledging their feelings and how understanding this is important to you. Take the cue from your loved-one when it is time to end the discussion.

After you have spoken, you may have felt it went well or perhaps it didn't. Regardless, you need to keep the channels of communication open and ready for the next opportunity to connect. Try closing the conversation by transitioning to a positive activity, such as, *“Do you feel like doing something together to help take your mind off things?”* or *“What do you need right now, is there something that might help take your mind off things?”*. It's best not to talk about how they're feeling all the time. Doing an activity you both enjoy can help people with anxiety and depression change the focus of their negative thinking and offer a sense of hope for the future.

## The right to privacy

Under Canadian law, an adult's health care team can't talk about medical information like a diagnosis or treatment in most situations without permission of the adult. This may seem frustrating at times, but these laws were designed to protect the rights of people who experience a mental illness. An open and transparent relationship with a loved one can go a long way in keeping everyone informed and supporting a loved one's care choices.

## Taking care of yourself

\*Reproduced from *Supporting a Loved One*, by the Canadian Mental Health Association.

Having a family member with a mental illness can be very stressful. Whether the ill person is a son, daughter, husband, wife, brother or sister, you will be affected by their illness too. A person with a psychiatric disorder often needs much love, help and support. At the same time, the problems, fears and behaviour of your ill relative may strain your patience and your ability to cope.

There are many different kinds of mental illness, and each has its own symptoms. During periods when your relative is ill, he/she may be demanding and disruptive, or extremely withdrawn and inactive. In fact, an ill person's behaviour may keep on changing because the symptoms may fluctuate.

Whether you suspect, or know for certain, that a member of your family has a psychiatric disorder, you will probably find that it helps to learn about the disorder.

## Who is taking care of you?

When a loved one experiences a mental illness, their care and support can take a lot of time and energy. But your own needs are just as important, too. If you aren't well, it's harder to help someone else regain wellness. Here are some tips to think about.

### **1. Accept your own feelings and know that you are not alone**

It is natural to feel many different emotions when a loved one is diagnosed with a mental illness. Other people experience the same challenges and complicated mix of emotions, just like you. Let yourself feel whatever you need to feel.

### **2. Learn more**

Take time to learn more about mental illnesses. This will give you a better understanding of your loved one's experiences and help you see what they may be going through. You can find reliable information online, through provincial or territorial health services, and through community organizations.

### **3. Stay connected**

Embarrassment, social stigma and fear can stop many family members from seeking help when a loved one is diagnosed with a mental illness. But that can isolate you at a time when you need the most support from others. Talk to trusted friends and family and let them know what you're experiencing. If you aren't sure where to go, try to find one of the formal or informal social groups, such a social media group or maybe the employer has a social club, connecting first responders and their families.

### **4. Join a support group**

Support groups are a good place to share your experiences, learn from others, and connect with people who understand what you're going through. To find a local support group, contact a local community mental health organization like the Canadian Mental Health Association (CMHA). CMHA has branches all over Canada that offer a range of services that can help.

### **5. Take time for yourself**

If you are caring for a loved one, your responsibilities may use up your physical and emotional energy. It's important to take time for yourself. It can help you recharge and give you a more balanced perspective toward any challenges you experience. Schedule opportunities that allow you to relax, have fun and get away so you can come back to your loved one with a healthier outlook. You can't care for someone else if you haven't cared for yourself first.

## **6. Seek help for yourself**

What about your own behavior and well-being? Are you becoming irritable and struggling to cope? Caring for a loved one who's unwell can be stressful. Long periods of stress can lead to mental health or substance use problems. Seek help if you find your own well-being slipping, and encourage family members to seek help if they need it.

## **7. Seek help for your children**

Parenting can come with many challenges! It is important to remember that while all children, from the very young to older teenagers, may elicit "normal" parenting stresses, the children of first responders may be even more likely to struggle. Children base their sense of safety and survival on their parents and as research shows, if a child does not feel safe and secure attachment to their parents, they are at greater risk of mental health challenges, among other issues. Children can also take on the feeling that they are somehow to blame for the result of their parent's behavior. It is especially important to communicate that as a parent, your issues are not one of the same and that it is not your child's fault and they are not to blame if they see their parent struggling.

If your child is acting out or struggling, it is important to take action. First, ask your child what they have been experiencing. Depending on the age and emotional state of your child, you may receive some helpful and important information. Be mindful to just listen to understand, without making judgment. Second, communicate what you are seeing and how important it is to you for things to improve. This may include being explicit about boundaries, understanding what your child needs, and what behavior is acceptable versus unacceptable. This may also be a good time to seek your own support, whether through the help of a trusted family member or friend, or a mental health professional. Mental health can also have a big impact on family relationships. It is quite common, if one family member is struggling, it can have a ripple effect and be felt by other family members who are then also impacted. It can be a good idea to seek support for the entire family.

## **8. Develop coping strategies for challenging behaviours**

There may be times when your first responder loved-one shows strange or challenging behaviours that can make you feel confused, embarrassed, or scared. This can happen in public or in private. It's best to talk with your loved and, (where appropriate) your loved one's care team for strategies to manage challenging situations. Here are some tips:

- Learn more about your options.
- Plan the best strategies for the situation.
- Understand that this is not personal.
- Realize that some behaviours may be beyond your loved one's control. They may be as distressing to them as they are to you.

It's also important to tell your loved one (and their care team) what behaviours you aren't willing to tolerate. You have rights, too — you never have to tolerate dangerous or abusive behaviour.

Setting healthy boundaries first starts with you and it is not always an easy endeavor. Particularly if you have not had much practice, being able to set boundaries first means you must understand what you are feeling, so that you can then communicate your needs to your loved one.

Don't be hard on yourself – take some time to reflect and be honest with yourself about what has been holding you back from honoring your needs, setting boundaries, and communicating with your loved one. This will bring you one step closer to understanding why setting boundaries is important but has been difficult to do.

Often, the best way to determine whether we need to set a boundary is reflecting on if you feel resentment. Feeling resentful generally comes from a sense of being treated unfairly and if this is the case, this may be an indication that a boundary is required to maintain the health of your relationship.

**Tips on boundary setting:**

1. Start with identifying your feelings – if you are feeling resentful, think about why this might be and what do I need from my loved one?
2. Even if your feelings aren't shared or fully understood by your loved one, it does not mean they are not real to you. Our feelings teach us to pay attention to the things that are important to us and what we need.
3. What do you want to communicate? Think about what it is that's important to you and why you feel the way you do. You may wish to write this down so it's easier to describe. This can help when communicating your boundary, as you are clearly explain your needs, and take ownership for how you feel and why.
4. It may be helpful to reassure your loved one that sharing this information with them is difficult but you are doing this with the intention of strengthening your relationship with healthy and open communication.
5. Depending on the complexity of issues you are facing, it may be an idea to consider seeking professional mental health support by connecting with individual or couples/family counselling for support.

## Available resources

Complete the contact details for the resources available in your family member's workplace so it's easier for you to help them find support if they are struggling with their mental health. You may need to contact your family member's HR department or union to collect this information.

**Organizational resources**

**Contact name**

**Phone**

**Email**

**Employee assistance  
program**

**Organizational peer support  
team**

**Organizational critical  
incident response team**

**Employee's union**

**Organizational chaplain**

**Extended health benefits  
provider**

## Crisis and Other Resources

## Phone

### 310Mental Health Support (24 hours a day)

Access to emotional support, information, and resources specific to mental health.

[crisislines.bc.ca](https://crisislines.bc.ca)

310.6789 (no need to dial area code)

### BC First Responders' Mental Health

Offers resources to help you support your colleagues, family and friends, and yourself.

[bcfirstrespondersmentalhealth.com](https://bcfirstrespondersmentalhealth.com)

N/A

### Canadian Mental Health Association

With 330 community locations, CMHA is a nationwide organization that promotes mental health and supports people recovering from mental illness.

[cmha.ca](https://cmha.ca)

N/A

### Crisis Centre of BC (24 hours a day)

A volunteer organization committed to helping people help themselves and others deal with crisis.

[crisiscentre.bc.ca](https://crisiscentre.bc.ca)

1.800.SUICIDE  
(1.800.784.2433)

### Crisis Services Canada (CSC)

CSC is a national network of existing distress, crisis and suicide prevention line services.

[crisisservicescanada.ca](https://crisisservicescanada.ca)

1.833.456.4566  
Text 45645

### First Responder Support Network

Provides educational treatment programs to promote recovery from stress and critical incidents experienced by first responders and their families.

[frsn.org](https://frsn.org)

1.415.721.9789

### HeretoHelp

HeretoHelp provides information to learn more about supporting a family member, partner, child, or friend.

[heretohelp.bc.ca/support-someone-else](https://heretohelp.bc.ca/support-someone-else)

N/A

Screening self-tests are tools that help you look at your mental health or wellness. These tests look for signs or symptoms that can show up in some mental illnesses. [heretohelp.bc.ca/screening-self-tests](https://heretohelp.bc.ca/screening-self-tests)

<p><b>Honour House and Honour Ranch</b></p>	<p><b>778.397.4399</b></p>
<p><b>Honour House</b> provides free accommodation for first responders and their families while receiving medical care in Metro Vancouver. <b>Honour Ranch</b> is a retreat where participants can discover cutting edge strategies in the treatment of operational stress injuries including anxiety, depression, and PTSD.  <a href="http://honourhouse.ca">honourhouse.ca</a></p>	
<p><b>Kids Help Phone</b></p>	<p>1.800.668.6868</p>
<p>Kids Help Phone is Canada’s only 24/7 e-mental health service offering free, confidential support to young people.  <a href="http://kidshelpphone.ca/">kidshelpphone.ca/</a></p>	<p>Text 686868</p>
<p><b>Occupationally Aware Clinicians: First Responders Health</b></p>	<p>N/A</p>
<p>Offers a directory of occupationally aware mental healthcare providers health professionals who have specialized training to in first responder culture.  <a href="http://firstresponderhealth.org">firstresponderhealth.org</a></p>	
<p><b>PSP Mental Health Support</b></p>	<p>N/A</p>
<p>Funded by the Canadian Institutes of Health Research (CIHR), the website provides a list of mental health support available to Canadian public safety personnel (PSP) and their families.  <a href="http://www.pspmentalhealth.ca">www.pspmentalhealth.ca</a></p>	
<p><b>VictimLinkBC</b></p>	<p>1.800.563.0808</p>
<p>Information and referral services to victims of family violence — please call 911 if you are in immediate danger. <a href="http://VictimLinkBC">VictimLinkBC</a></p>	
<p><b>WorkSafeBC Critical Incident Response (9 a.m. to 11 p.m.)</b></p>	<p>1.888.922.3700</p>
<p>Confidential program that helps workers who have experienced a traumatic event in the workplace.  <a href="http://worksafebc.com/contact-us">worksafebc.com/contact-us</a></p>	
<p><b>WorkSafeBC Crisis Support Line (24 hours a day)</b></p>	<p>1.800.624.2928</p>
<p>Contact the WorkSafeBC Crisis Support Line if you or your family is in emotional crisis and you’ve been injured at work. <a href="http://worksafebc.com/contact-us">worksafebc.com/contact-us</a></p>	
<p><b>Wounded Warrior and Warrior Kids</b></p>	<p>1.888.706.4808</p>
<p>Wounded Warrior’s mission is to honour and support Canada’s ill and injured Canadian Armed Forces members, Veterans, First Responders and their families.  <a href="http://woundedwarriors.ca/">woundedwarriors.ca/</a> and <a href="http://woundedwarriors.ca/our-programs/warrior-kids">woundedwarriors.ca/our-programs/warrior-kids</a></p>	

## Further reading

This list contains some reading material that can help families better understand the challenges of loving a first responder and supporting their mental health.

- *Emotional Survival for Law Enforcement: A Guide for Officers and Their Families*, by Kevin M. Gilmartin (2002)
- *I Love a Cop: What Police Families Need to Know*, by Ellen Kirschman (2018)
- *I Love a Fire Fighter: What The Family Needs to Know*, by Ellen Kirschman (2004)

### Children's materials

- *A Hero Lives in My Family: A Story for Kids of First Responders*, by Dr. Susan Hunt (2015)
- *Heroic Families Workbook: For First Responders and Their Families*, by Dr. Susan Hunt (2015)
- *The Wolf was Not Sleeping*, by Avril McDonald and Tatiana Minina (2020). There is a description on how to use the book and a video of the author reading it at: <https://www.firefighters.org.nz/the-wolf-was-not-sleeping.html>